

Design and Implementation of Smart Irrigation System Using ESP8266

Ms. Madhuri G. Shinde, Ms. Prajota D. Shrimanwar, Ms. Ashwini M. Suryawanshi, Mr. Deviprasad J. Tuptewar

s23_shinde_madhuri@mgmcen.ac.in, s23_shrimanwar_prajota@mgmcen.ac.in,

s23_suryawanshi_ashwini@mgmcen.ac.in, tuptewar_dj@mgmcen.ac.in

Department of Electronics and Telecommunication Engineering, MGM'S College of Engineering, Nanded, Maharashtra, India

Abstract – Smart irrigation has become an essential solution for efficient water management in agriculture. Traditional irrigation methods often lead to water wastage and require continuous human supervision. This paper presents the design and implementation of a low-cost ESP8266-based smart irrigation system capable of monitoring soil moisture and automatically controlling water supply. The system provides real-time monitoring and automated irrigation, ensuring optimal water utilization. Experimental results demonstrate reliable performance, reduced water consumption, and improved irrigation efficiency. The proposed system is economical, easy to implement, and suitable for agricultural fields, gardens, and greenhouse applications.

Index Terms— ESP8266, Smart Irrigation System, Soil Moisture Sensor, Water Pump, Agriculture Automation, Embedded Systems.

Introduction

With increasing water scarcity and the growing demand for agricultural productivity, efficient irrigation practices have become essential. Conventional irrigation systems often waste water due to over-irrigation and lack of monitoring. Advancements in embedded systems, wireless communication, and sensor technologies have enabled the development of intelligent irrigation systems. ESP8266 is a low-cost Wi-Fi enabled microcontroller platform that supports easy interfacing with sensors and control devices, making it ideal for smart agriculture applications. This paper proposes an ESP8266-based smart irrigation system that continuously monitors soil moisture levels and automatically controls irrigation. The system minimizes water wastage and improves crop health through automated decision-making. This paper proposes an Arduino-based home security system that integrates fire detection, gas leakage monitoring, and intrusion detection into a single compact unit. The system continuously monitors environmental parameters and provides instant alerts using visual and audible indicators.

I. Literature Survey

Smart irrigation systems have become an important application of the Internet of Things (IoT) in agriculture. Researchers have developed systems that use soil moisture, temperature, and humidity sensors to monitor field conditions and automatically control water supply.

These systems help reduce water wastage, improve irrigation efficiency, and increase crop productivity. Recent studies have shown that wireless sensor networks and cloud-based monitoring enable farmers to manage irrigation remotely and make data-driven decisions.

furthermore the integration of machine learning and artificial intelligence has enhanced the performance of smart irrigation systems by predicting crop water requirements and optimizing irrigation schedules. Various algorithms such as Decision Trees, Random Forest, and Artificial Neural Networks have been used to improve accuracy and resource management. Literature indicates that smart irrigation technology

Problem Statement

Agriculture consume a large amount of Water, and traditional irrigation method often lead to water wastage. Farmers face difficulties in monitoring soil moisture and crop water requirement continuously. Manual irrigation is time consuming and may result in under or over watering od crops. There is a need for an automated system that provides irrigation based on real time field conditions. A smart irrigation system can improve water efficiency, reduce labor and enhance crop productivity.

System Architecture

A. Block Diagram

Figure 1 shows the block diagram of the proposed system.

The proposed smart irrigation system utilizes a soil moisture sensor to continuously monitor soil water content.

Sensor data is acquired and processed by the NodeMCU (ESP8266) microcontroller.

The ESP8266 enables wireless communication through its integrated Wi-Fi capability.

Real-time soil moisture data is transmitted to cloud platforms such as Blynk or ThingSpeak.

The cloud interface facilitates remote monitoring and data visualization for users




Fig. 1. Block Diagram of Smart Irrigation System Using ESP8266

A. Circuit Diagram

The circuit diagram in Figure 2 illustrates the physical connections between sensors, ESP8266, soil moisture, Relay module and DC water pump.



Fig. 2. Circuit Diagram of Smart Irrigation System

The soil moisture sensor measures the moisture level in the soil and sends the data to the NodeMCU (ESP8266). The controller compares the moisture value with a predefined threshold. If the soil is dry, the NodeMCU activates the relay module, which turns on the water pump. The pump irrigates the plants until the required moisture level is reached. The system also uploads real-time data to the IoT cloud for remote monitoring and control.

II. Implementation

The proposed smart irrigation system is implemented using a soil moisture sensor, NodeMCU (ESP8266), relay module, and water pump. The soil moisture sensor continuously monitors the water content in the soil and sends the measured values to the NodeMCU for processing

The system is implemented using a soil moisture sensor, NodeMCU (ESP8266), relay module, and water pump. The soil moisture sensor continuously measures the moisture content of the soil and sends the readings to the NodeMCU. Based on the predefined threshold value, the NodeMCU controls the relay module to switch the water pump ON or OFF automatically. The ESP8266 transmits real-time sensor data to cloud platforms such as Blynk or Thing Speak through Wi-Fi, enabling remote monitoring and control. This implementation ensures efficient water management and automated irrigation with minimal human intervention.




Fig. 3. Implemented Hardware Prototype

Results and Discussion

I. Working Principle

The proposed IoT-based smart irrigation system successfully monitored soil moisture levels and automated the irrigation process. The soil moisture sensor provided accurate readings, which were processed by the NodeMCU (ESP8266) to control the water pump through a relay module. Real-time data was transmitted to the cloud platform, enabling remote monitoring and visualization of soil conditions.

The experimental results showed that the system effectively activated the pump when soil moisture fell below the preset threshold and stopped irrigation when the required moisture level was reached. This automated operation reduced water wastage, minimized human intervention, and ensured timely irrigation. The cloud-based monitoring feature improved accessibility and system management. Overall, the system demonstrated reliable performance, efficient water utilization, and suitability for smart agriculture applications.

III. Conclusion

The proposed IoT-based smart irrigation system provides an efficient and automated solution for agricultural water management. By integrating soil moisture sensing, wireless communication, and automated pump control, the system ensures optimal irrigation while conserving water resources.

The implementation is cost-effective, user-friendly, and suitable for smart farming applications, contributing to improved crop growth and sustainable agriculture practices.

REFERENCES

- [1] M. R. Bendre and P. S. Waghmare, "Smart irrigation system using IoT," *International Journal of Engineering Research & Technology (IJERT)*, vol. 8, no. 5, pp. 456–460, May 2019.
- [2] A. Rayes and S. Salam, *Internet of Things: From Hype to Reality*, 1st ed. Cham, Switzerland: Springer, 2017.
- [3] V. Kodali and S. Soratkal, *MQTT Essentials: A Lightweight IoT Protocol*, Bengaluru, India: Packt Publishing, 2016.
- [4] A. Kamilaris, A. Kartakoullis, and F. X. Prenafeta-Boldú, "A review on the practice of big data analysis in agriculture," *Computers and Electronics in Agriculture*, vol. 143, pp. 23–37, Dec. 2017.
- [5] ESP8266 Community, "ESP8266EX Datasheet," Espressif Systems, Shanghai, China, 2023.
- [6] ThingSpeak, "IoT Analytics Platform Service," MathWorks, Natick, MA, USA, 2023.